FINISHED PRODUCT SPECIFICATION/ CERTIFICATE OF ANALYSIS

Customer:	Biogenique		
Product Name:	Chlorella		
Product Code:	N/A		
Product type:	Hard Capsule		
Product Packaging:	Bottles: 200 cc White 38/400 HDPE (not tall) Cap: White color Lids 38/400 Silica gel 0.5g Shrink Band: 66x28mm		
NPN	80131569		
Storage Conditions:	Store in a cool and dry place.		
Allergen(s)	**Yes** □	**No** ■	**If yes, list:**
QA Approved By/Date:	Jul.29,2025		

Ingredients		
List of Medicinal Ingredients	**Label Claim (mg)**	**Tolerance limits**
Chlorella vulgaris (Chlorella vulgaris-Broken cell)	500.00	Not Assayed. Product is manufactured to contain 500.00 mg of Chlorella vulgaris (Chlorella vulgaris-Broken cell)
List of Non-Medicinal Ingredients		
Hypromellose, Microcrystalline Cellulose, Silicone dioxide		

Manufacturing Date	Jul.30,2025	**Lot no**	072533
Expiry Date	JN-2028		

FINISHED PRODUCT SPECIFICATION/ CERTIFICATE OF ANALYSIS

Physical Properties			
Tests	**Method**	**Parameter**	**Results**
Appearance	**Visual**	Green color capsule	Green color capsule
Disintegration	**USP <701>**	Capsules: NMT 45 min	29 min
Target Weight	**USP <2091>**	625.00 mg (578.36-672.14) mg	(578.36-672.14) mg
Locked Length	**Measurement**	Size "00": 23.40 ± 0.3 m	(23.10-23.70) mm

Microbial-Tested on Finished Product			
Test	**Method**	**Parameter**	**Results**
Total Aerobic Microbial Count	**<USP 2021>**	**NMT 100,000 CFU/g**	<10 CFU/g
Total Yeast & Mold	**<USP 2021>**	**NMT 1000 CFU/g**	<10 CFU/g
Salmonella spp.	**<USP 2022>**	**Absent in 10g**	Absent
E. Coli	**<USP 2022>**	**Absent in 10g**	Absent
Staphylococcus aureus	**<USP 2022>**	**Absent in 10g**	Absent

Heavy Metal-Tested on Finished Product			
Test	**Method**	**Parameter**	**Results**
Arsenic	**USP<233>**	**<0.14 µg/kg b.w./day**	<0.001 µg/kg b.w./day
Cadmium	**USP<233>**	**< 0.09 µg/ kg b.w./day**	<0.001 µg/kg b.w./day
Lead	**USP<233>**	**< 0.14 µg/ kg b.w./day**	0.001 µg/kg b.w./day
Mercury	**USP<233>**	**< 0.29 µg/ kg b.w./day**	<0.001 µg/kg b.w./day

Product Disposition	**Released** ☑	**Conditional Release** ☐		**Rejected** ☐
QA Signature:	Hemantha Jha		**Date:**	OCT. 06, 2025