CERTIFICATE OF ANALYSIS

PRODUCT NAME: Biogenique Holy Basil

Batch/Lot No: 022519

Man Date: Feb.2025 **Expiry Date**: Jan.2028

Each unit dose contains: Holy Basil (Ocimum tenuiflorum, Leaf, 5:1): 500.0 mg

Non-Medicinal Ingredient: Hypromellose.

Test	Method	Specifications	Result
Description	In-House	Clear-Clear size "0" vegetable Capsule filled with brown color Powder.	Complies
Weight variation	USP <2091>	605.00 mg± 7.5% (559.65mg to 650.38mg)	607.32 mg
Lock Length	In house	21.30 mm –21.90mm	Complies
Disintegration time	USP	NMT 30 minutes	09 minutes
Microbial Test			
Total Plate count	USP<2021>	NMT 100,000 CFU/g	10CFU/g
Yeast & Mold	USP<2021>	NMT 1000 CFU/g	<10CFU/g
E.coli	USP<2022>	Negative	Negative
Salmonella	USP<2022>	Negative	Negative
S.aureus	USP<2022>	Negative	Negative
Pseudomonas aeruginosa	USP<62>	Negative	Negative

Heavy Metal			
Arsenic	ICP-MS at Finished Product Stage	<0.14 µg/kg b.w./ day	0.001 µg/kg b.w./day
Cadmium		<0.09 µg/kg b.w./ day	<0.001 µg/kg b.w./day
Lead		<0.14 µg/kg b.w./ day	0.001 µg/kg b.w./day
Mercury		<0.29 µg/kg b.w./ day	<0.001 µg/kg b.w./day
Quality Approved: Foram Patel		**Date:** Mar.08, 2025	
This is to certify that Biowell Laboratories products are manufactured under strict GMP conditions.			

Medicap Laboratories

CERTIFICATE OF ANALYSIS

PRODUCT NAME: Biogenique Holy Basil

Batch/Lot No: 240728

Man Date: Jul.2024 **Expiry Date**: Jun.2027

Each unit dose contains: Holy Basil (Ocimum tenuiflorum, Leaf, 2:1): 500.0 mg

Non-Medicinal Ingredient: Microcrystalline cellulose, Silicon Dioxide, Hypromellose.

Test	Method	Specifications	Result
Description	In-House	Clear- Clear size "0" vegi. Capsule filled with brown color Capsules.	Complies
Weight variation	USP <2091>	605.00 mg± 7.5% (559.63mg/cap to 650.38mg/cap)	603.14 mg
Lock Length	In house	21.30 mm –21.90mm	Complies
Disintegration time	USP	NMT 30 minutes	11 minutes
Microbial Test			
Total Plate count	USP<2021>	NMT 100,000 CFU/g	<10 CFU/g
Yeast & Mold	USP<2021>	NMT 1000 CFU/g	<10 CFU/g
E.coli	USP<2022>	Negative	Negative
Salmonella	USP<2022>	Negative	Negative
S.aureus	USP<2022>	Negative	Negative
Pseudomonas aeruginosa	USP<62>	Negative	Negative

Heavy Metal			
Arsenic	ICP-MS at Finished Product Stage	<0.14 µg/kg b.w./ day	<0.001 µg/kg b.w./ day
Cadmium		<0.09 µg/kg b.w./ day	<0.001 µg/kg b.w./ day
Lead		<0.14 µg/kg b.w./ day	<0.001 µg/kg b.w./ day
Mercury		<0.29 µg/kg b.w./ day	<0.001 µg/kg b.w./ day
Quality Approved: Foram Patel		**Date:** Oct.25, 2024	
This is to certify that Medicap Laboratories products are manufactured under strict GMP conditions.			